SECTION 1: Identification of the substance/mixture and of the company/undertaking



Date printed 20.03.2024, Revision 20.03.2024

Version 7.0. Supersedes version: 6.0 Page 1 / 11

1.1	I.1 Product identifier			
		High-performance oil for Haldex coupling Article number: 30 10 1172		
1.2	Relevant identified uses of the se	ubstance or mixture and uses advised against		
1.2.1	Relevant uses			
		Lubricant		
1 2 4) Lloop adviced against			
1.2.4	2 Uses advised against	None known.		
1.3	Details of the supplier of the safe	ety data sheet		
	Company	SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de		
	Address enquiries to			
	Technical information	info@swag.de		
	Safety Data Sheet	info@swag.de		
1.4	Emergency telephone number			
	Advisory body	+49 (0)89-19240 (24h) (English)		
SEC	TION 2: Hazards identification			
2.1	Classification of the substance of	or mixture [REGULATION (GB) CLP]		
		No classification.		
2.2	Label elements			
2.2		The product does not require a hazard warning label in accordance with regulation CLP.		
	Hazard pictograms	none		
	Signal word	none		
	Hazard statements	none		
	Precautionary statements	none		
	Special labelling	EUH210 Safety data sheet available on request.		
2.3	Other hazards			
	Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		
	Other hazards	No particular hazards known.		
SEC	SECTION 3: Composition / Information on ingredients			
3.1	Substances			

not applicable

Date printed 20.03.2024, Revision 20.03.2024



Version 7.0. Supersedes version: 6.0 Page 2 / 11

3.2 Mixtures

3.2	Mixtures			
	The product is a mixture.			
	Range [%] Substance			
	50 - < 100	Lubricating oils (pe	etroleum), C20-50, hydrotreated neutral oil-based	
		CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX		
		GHS/CLP: Asp. Tox. 1: H304		
	1 - < 2,5	Phosphorodithioic	acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	
	GHS/CLP: Eye Da		EINECS/ELINCS: 288-917-4, Reg-No.: 01-2119521201-61	
			am. 1: H318 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411	
		SCL [%]: >= 20: E	ye Dam. 1: H318, >= 15: Skin Irrit. 2: H315, >15 - <20: Eye Irrit. 2: H319	
	Comment on component parts		For full text of H-statements: see SECTION 16. Contains less than 3% w/w DMSO-extract (only for mineral oils)	
SEC	TION 4: First aid r	neasures		
4.1	Description of fin	rst aid measure	e a construction of the second se	
4.1	General information		Change soaked clothing.	
			Change source ofering.	
	Inhalation		Ensure supply of fresh air.	
	Innalation		In the event of symptoms seek medical treatment.	
	Skin contact		In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion		Do not induce vomiting. Consult a doctor immediately. Rinse out mouth and give plenty of water to drink.	
4.2	Most important s	symptoms and e	effects, both acute and delayed	
			No information available.	
4.3	Indication of any immediate medical attention and special treatment needed		dical attention and special treatment needed	
			Treat symptomatically. Forward this sheet to your doctor.	
SEC	TION 5: Fire-fight	ing measures		
5.1	Extinguishing m	edia		
0.1			Foom dry powder water oproviet, oerbon dievide	
	Suitable extinguis	-	Foam, dry powder, water spray jet, carbon dioxide.	
	Extinguishing mec be used	lia that must not	Full water jet.	
5.2			a substance or mixture	
J.Z	Special flazarus	ansing nom me		
			Risk of formation of toxic pyrolysis products. Nitrogen oxides (NOx).	
5.3	Advice for firefig	hters		
			Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
			Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. Cool containers at risk with water spray jet.	


Date printed 20.03.2024, Revision 20.03.2024



Version 7.0. Supersedes version: 6.0 Page 3 / 11

Dale	printed 20.03.2024, Revision 20.03.2024	Version	17.0. Supersedes version. 0.0	Fage 57 TT
SEC	TION 6: Accidental release measu	es		
6.1	1 Personal precautions, protective equipment and emergency procedures			
		Some risk of slipping due to spillage of produc Forms slippery surfaces with water.		
6.2	Environmental precautions			
		Prevent spread over a wide area (e.g. by cont Do not discharge into the drains/surface water	,	
6.3	Methods and material for contain	ment and cleaning up		
		Take up with absorbent material (e.g. oil binde Dispose of absorbed material in accordance w	,	
6.4	Reference to other sections			
		See SECTION 8+13		
SEC	TION 7: Handling and storage			
7.1	Precautions for safe handling			
		No special measures necessary if used correct Use only in well-ventilated areas. Use solvent-resistant equipment.	ctly.	
		The product is combustible.		
		Do not eat, drink or smoke when using this pro- After worktime and before work breaks the aff Use barrier skin cream. Contaminated work clothing should not be allo Take off contaminated clothing and wash befor Cloths contaminated with product should not be	ected skin areas must be thoroughl owed out of the workplace. ore reuse.	y cleaned.
7.2	Conditions for safe storage, inclu	ding any incompatibilities		
		Keep only in original container. Prevent penetration into the ground.		
		Do not store together with oxidizing agents.		
		Keep container in a well-ventilated place. Keep container tightly closed.		
7.3	Specific end use(s)			
		Cas product upp CECTION 4.2		

See product use, SECTION 1.2





Version 7.0. Supersedes version: 6.0 Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
Industrial, inhalative, Long-term - systemic effects, 6,6 mg/m ³
Industrial, dermal, Long-term - systemic effects, 9,6 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 1,67 mg/m ³
general population, dermal, Long-term - systemic effects, 4,8 mg/kg bw/d
general population, oral, Long-term - systemic effects, 0,19 mg/kg bw/d
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
general population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day

PNEC

Substance Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

freshwater, 0,002 mg/l (AF=1000) seawater, 0,0002 mg/l (AF=10000)

sewage treatment plants (STP), 100 mg/l (AF=100)

sediment (freshwater), 19,3 mg/kg dw

sediment (seawater), 1,93 mg/kg dw

soil, 15,7 mg/kg dw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

oral (food), 9.33 mg/kg food



Version 7.0. Supersedes version: 6.0 Page 5 / 11

Date printed 20.03.2024, Revision 20.03.2024

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	[[
Physical state	liquid
Form	liquid
Color	light brown
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	not applicable
Flash point [°C]	208 °C/ 406°F
Flammability	Not explosive.
Lower explosion limit	not self-igniting
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm³]	0,85 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	29,94 mm²/s 40°C [104°F] (DIN 51562)
Relative vapour density	not determined
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined
Particle characteristics	No information available.

Date printed 20.03.2024, Revision 20.03.2024



Version 7.0. Supersedes version: 6.0 Page 6 / 11

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with strong alkalies. Reactions with strong acids.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agent. See SECTION 10.3.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 20.03.2024, Revision 20.03.2024

Version 7.0. Supersedes version: 6.0 Page 7 / 11

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance		
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9		
LD50, oral, Rat, 3080 mg/kg bw		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
LD50, oral, Rat, 5000 mg/kg bw		

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

 Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

 LD50, dermal, Rabbit, > 20 000 mg/kg bw

 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

 LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance		
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9		
LC50, inhalation (vapour), Rat, > 2,3 mg/L/4h		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h		

Serious eye damage/irritation		Based on the available information, the classification criteria are not fulfilled. No classification due to substance-specific concentration limits.
Skin corrosion/irritation		Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation		Toxicological data of complete product are not available. No classification. Classification was carried out based on substance-specific concentration limits.
Specific target organ toxicity — single exposure		Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure		Based on the available information, the classification criteria are not fulfilled.
S	ubstance	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
N	NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day	
NOAEC, inhalative, I		Rat, 980 mg/m ³ air
LOAEL, oral, Rat, 12		25 mg/kg bw/day

Based on the available information, the classification criteria are not fulfilled.



Date printed 20.03.2024, Revision 20.03.2024 Version 7.0. Supersedes version: 6.0 Page 8 / 11 Based on the available information, the classification criteria are not fulfilled. **Reproduction toxicity** Carcinogenicity Based on the available information, the classification criteria are not fulfilled. Aspiration hazard Based on the available information, the classification criteria are not fulfilled. **General remarks** Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. 11.2 Information on other hazards 11.2.1 Endocrine disrupting Contains no ingredients with endocrine-disrupting properties. properties 11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.

Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LL50, (96h), Oncorhynchus mykiss, 4,5 mg/l
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOELR, (14d), fish, 1 g/L
LL50, (4d), Invertebrates, 10 g/L
LL50, (4d), fish, 100 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

Air transport in accordance with IATA not applicable

Date printed 20.03.2024, Revision 20.03.2024



Version 7.0. Supersedes version: 6.0 Page 9 / 11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		In according to RoHS! Disposal in an incineration plant in accordance with the regulations of the local authorities.
	Waste no. (recommended)	130208*
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances
SEC	TION 14: Transport information	
14.1	UN number or ID number Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

42117 Wuppertal

Date printed 20.03.2024, Revision 20.03.2024



Version 7.0. Supersedes version: 6.0 Page 10 / 11

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
	o	

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
	EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707	
	- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.	
	- Annex I (REACH)	The product is not subject to Annex I restrictions.	
	- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.	
	- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75	
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.	
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)	
	NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	not applicable	
	- VOC (2010/75/CE)	not relevant	

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

42117 Wuppertal

Date printed 20.03.2024, Revision 20.03.2024



Version 7.0. Supersedes version: 6.0 Page 11 / 11

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value – time-weighted average TLV®/TWA = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

none